

Trade name: Avantama P-21

Safety data sheet

1 Identification of the substance/mixture and of the company

1.1 Product identifiers

Trade name: <u>Avantama P-21</u> Product number: 10128

REACH No.: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture Identified uses: Laboratory chemicals, Manufacture of thin films

1.3 Details of the supplier of the safety data sheet

Distributing company: Avantama AG Laubisrütistrasse 50 8712 Stäfa Switzerland Tel.-Nr.: +41 44 244 51 00

Informational: info@avantama.com

1.4 Emergency telephone number:

Schweizerisches Toxikologisches Informationszentrum (STIZ), Switzerland Tel.-Nr.: +41 44 251 5151

2 Hazards identification

2.1 Classification of the substance or mixture

For the full text of the H-statements and P-phrases mentioned in this section, see Section 16

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (cat. 2)	H225
Skin sensitization (cat. 1)	H317
Eye irritation (cat. 2)	H319
Carcinogenicity, Inhalation (cat. 1A)	H350i
Specific target organ toxicity -repeated exposure (cat. 1)	H372
Chronic aquatic toxicity (cat. 4)	H413

Classification systems:

The classification corresponds to the current EC-Lists and is complemented with literature and the company knowledge.

2.2 Label elements

Labeling according to Regulation (EC) Nr. 1272/2008 The product is classified and labeled according to the CLP regulation.

Pictogram



Signal word: Danger

Hazard statement(s)H225Highly flammable liquid and vaporH317May cause an allergic skin reaction.



H319

H350i

Version 2

Trade name: Avantama P-21

amage to organs through prolonged or repeated exposure.
se long lasting harmful effects to aquatic life.
nent(s)
Obtain special instructions before use.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
Avoid release to the environment.
Wear protective gloves, protective clothing, eye protection, face protection
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved waste disposal plant.

2.3 Supplemental Hazard

The applied nanoparticles may be enriched in human body and/or in organisms.

3 Composition / information on ingredients

Causes serious eye irritation

May cause cancer by inhalation.

Chemical characterization: Mixtures

Description: Mixture made of following ingredients including non-hazardous admixtures.

Hazardous ingredient	S:	
CAS: 1313-99-1	Nickel monoxide	
EC: 215-215-7	Skin Sens. 1; Carc. 1A; STOT RE 1; Aquatic Chronic 4;	≤ 5%
	H317, H350i, H372, H413	
CAS: 64-17-5	Ethanol	
EC: 200-578-6	Flam. Liq. 2; Eye Irrit. 2; H225; H319;	95 - 100%
	Concentration limits: >= 50%: Eye Irrit. 2A, H319	

Additional indication:

Comprised nickel oxide is present as nanoparticles. For the full text of the H-statements and P-phrases mentioned in this section, see Section 16

4 First aid measures

4.1 Description of first ai	d measures
If inhaled:	If breathed in, move person into fresh air. If not breathing, give artificial respiration.
	Consult a physician.
In case of skin contact:	Wash off with soar and plenty of water.
In case of eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a
	physician. Remove contact lenses if present and easy to do.
If swallowed:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
	Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed.

No data available.



Trade name: Avantama P-21

5 Firefighting measures

5.1 Extinguishing media Unsuitable media: Water jet

Suitable media:

CO₂, alcohol-resistant foam, dry chemical

5.2 Special hazards arising from the substance or mixtures Nickel oxide, Carbon oxide

5.3 Advice for firefighters

Specific protective equipment: Wear self-contained breathing apparatus for fire fighting if necessary. Further information: Use water spray to cool unopened containers. Prevent fire-extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal with liquid binding material (chemical binders, sand, diatomite, acid binders, universal binders, sawdust). Then collect by wet-brushing and place in container for disposal according to local regulations. Provide adequate ventilation.

6.4 Reference to other sections

For handling see section 7 For disposal see section 13

7 Handling and storage

7.1 Handling

Precaution for safe handling

Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapors, mist or gas. Avoid contact with skin and eyes. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Usual measures of the preventing fire protection.

Avoid formation of aerosols, do not inhale.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers, which are opened, must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.



Trade name: Avantama P-21

8 Exposure controls/personal protections

Additional indication for technical installation: No data available, see section 7.

8.1 Control parameters

Components requirir	ng monitoring of workplace exposure limit values:
Ethanol (95 - 100%)	
MAK (Schweiz)	960 mg/m³ (NIOSH, OSHA)
	500 ppm (NIOSH, OSHA)
DNEL (workers)	950 mg/m ³ (Inhalation, long-term systemic effects)
	343 mg/kg BW/d (Skin contact, long-term systemic effects)
	343 mg/kg BW/d (Ingestion, long-term systemic effects)
	1'900 mg/m ³ (Inhalation, acute local effects)
PNEC	0.63 mg/kg (Soil)
	0.79 mg/L (Marine water)
	0.96 mg/L (Fresh water)
	3.6 mg/L (Fresh water sediment)
	580 mg/L (Sewage treatment plant)
Nickel oxide (<5%)	
MAK (Schweiz)	0.05 mg/m ³ (NIOSH, OSHA)
	Inert dust, general dust limit value; inert dust is termed by the current state of scientific knowledge as dust which is not resorbed, no increased formation of connective tissue in lungs (fibrogenic effect) is observed and no specific symptoms of illness are triggered. Such kind of dust may infringe the functionality of the respiratory system by mechanical irritation. Therefore a MAK of 3 mg/m ³ of alveolar dust is applied, measured according to EN 481 and also 10 mg/m ³ for respirable dust.
	The here used nickel oxide is not existent in form of dust, but can be inhaled in form as an aerosol.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the day. Keep away from food, beverage and feeding stuff. Take off contaminated clothing immediately.

Eye/face protection



Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards.

Respiratory protection

For mist /aerosol exposures use respiratory protection. Recommended filter type: ABEK P3

Skin protection



Handle with gloves. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Glove material

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Recommended material: Nitrile rubber

Full contact: Minimum layer thickness: 0.4 mm Break through time: 480 min



Trade name: Avantama P-21

Splash contact Minimum layer thickness: 0.4 mm Break through time: 60min

Body protection

Type of protective equipment according to risk evaluation.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

General properties	
Appearance:	
Form:	Liquid
Color:	black, translucent
Odor:	Alcohol-like
Odor threshold:	No data available
pH:	No data available
Phase transition	
Melting point/melting range:	No data available
Initial boiling point/boiling range:	No data available
Flash point:	No data available
Flammability (solid, gas):	No data available
Ignition temperature:	No data available
Decomposition temperature:	No data available
Auto-ignition temperature:	No data available
Explosive properties:	No data available
Explosion limit:	
Lower:	No data available
Upper:	No data available
Oxidizing properties	No data available
Vapor pressure at 20°C:	No data available
Density at 20°C	No data available
Relative density	No data available
Vapor density	No data available
Evaporation rate	No data available
Solubility in / Miscibility with Water:	
	Miscible but not stable
Partition coefficient:	No data available
Viscosity:	
Dynamic:	1-3 mPa s at 23°C
Kinematic:	No data available
Solvent content:	
Organic solvents:	90-100%
VOC (EU):	90-100%
VOCV (CH):	90-100%
Solid load:	<10%
9.2 Additional safety information:	Primary particle size (dried appearance): 5-50 nm
	Particle size (agglomerate size) in
	Dispersion: <100 nm
	Zeta-Potential of nanoparticles is unknown.
	Nanoparticle solubility: poorly soluble (0.1 g/L)



Trade name: Avantama P-21

10 Stability and Reactivity

10.1 Reactivity No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Thermic decomposition / conditions to avoid:

No decomposition under recommended application.

10.4 Possibility of hazardous reactions No data available.

10.5 Conditions to avoid

Heat, flames and sparks. Extreme temperatures and direct sunlight

10.6 Incompatible materials

Strong bases, strong oxidizing agents, strong acids, halogenated compounds.

10.7 Hazardous decomposition products

Other decomposition products – no data available. In the event of fire: See section 5

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity

are toxicity		
Classification-rele	evant LD/LC50) values:
Ethanol		
Oral	LD50	10'470 mg/kg (rat)
Inhalation	LC50	30'000 mg/kg (rat – 4h)
Dermal	LD50	15'800 mg/kg (rabbit)
Nickel oxide		
Oral	LD50	>11'000 mg/kg (rat) (OECD 425)
Subcutaneous	LD50	50 mg/kg (mouse)

Primary corrosion/irritation:

May be har Mild skin in Eye irritatio No data ava	on – 24h
Ethanol:	Mouse - Oral
	Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkin's disease.
Nickel oxide	2:
	Carcinogenicity - Rat - male and female - Inhalation
	Lungs, Thorax, or Respiration: Bronchiogenic carcinoma.
	This is or contains a component that has been reported to be carcinogenic
	based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Human carcinogen.
	Mild skin in Eye irritatic No data ava Ethanol:

IARC: 1 - Group 1: Carcinogenic to humans (Nickel oxide)

Additional toxicological information: RTECS: KQ6300000

Ethanol: Central nervous system depression, narcosis, Damage to the heart.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.



Trade name: Avantama P-21

12 Ecological information

12.1 Toxicity	
Aquatic Toxicity:	

Ethanol:	LC50 – 14'200 mg/L / 96h (Pimephales promelas)
	LC50 – 5'012 mg/L / 48h (Ceriodaphnia dubia)
	NOEC – 9.6 mg/mL / 9d (Daphnia magna)
	EC50 – 275 mg/L / 72h (Chlorella vulgaris)

Nickel oxide: No data available

12.2 Persistence and degradability

Ethanol:	Biodegradability – 95% Readily biodegradable
Nickel oxide:	No data available
Proprietary dispersion	
additive:	No data available

12.3 Behavior in environmental compartments:

Bio-accumulative potential: No data available. Mobility in soil: No data available.

12.4 Additional ecological indication:

General indication: Do not let product enter drains, surface water or the ground water system. Discharge into the environment must be avoided.

12.5 Results of PBT- and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Very toxic to aquatic life.

13 Disposal considerations

13.1 Waste treatment methods

Recommendation: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting, as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

13.2 Contaminated packaging

Recommendation: Dispose of as unused product Recommended detergent: Ethanol



Trade name: Avantama P-21

14 Transport information

Land transport ADR/RID and GGVSEB (cro	acc harder/interior)	
	oss-border/interior):	
$\langle \underline{\mathbf{Y}} \rangle \langle \underline{\mathbf{Y}}_{2} \rangle$		
ADR/RID-GGVSEB class:	3 flammable liquid	
UN number:	1170	
Packing group:	II	
Hazard label:	3	
UN proper shipping name:	Ethanol	
Tunnel restriction code	D/E	
Limited quantities (LQ)	1L	
Transport hazard class(es)	3	
Sea shipment IMDG/GGVSee		
IMDG/GGVSee class:	3 flammable liquid	
UN number:	1170	
Hazard label:	3	
Packing group:	II	
EMS code:	F-E, S-E	
Marine pollutant:	No	
UN proper shipping name:	Ethanol	
Air transport ICAO-TI und IATA-DGR		
3		
ICAO/IATA class:	3	
	5 1170	
UN/ID number:	1170	
UN/ID number: Hazard label:	-	
UN/ID number: Hazard label: Packing group:	3 II	

15 Regulatory information

Chemical Safety Assessment: For this product a chemical safety assessment was not carried out



Trade name: Avantama P-21

16 Other information

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Avantama Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

This safety data sheet contains nano-specific information.

16.1 H-statements

- H225 Highly flammable liquid and vapor
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation
- H350i May cause cancer by inhalation.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H413 May cause long lasting harmful effects to aquatic life.

16.2 Precautionary statement(s)

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection, face protection
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

16.3 Abbreviation and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

IARC: International agency for research of cancer

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: half maximal effective concentration

Eye irrit.: Eye irritation

Flam. Liq.: Flammable liquids

STOT RE: Specific target organ toxicity – repeated exposure