

Trade name: Avantama N-31-Inkjet

Safety data sheet

1 Identification of the substance/mixture and of the company

1.1 Product identifiers

Trade name: Avantama N-31-Inkjet

Product number: 15031

REACH No.: A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

1.2 Relevant identified uses of the substance or mixture

Identified uses: Laboratory chemicals, Manufacture of thin films

1.3 Details of the supplier of the safety data sheet

Distributing company:

Avantama AG
Laubisrütistrasse 50
8712 Stäfa
Switzerland
Tel.-Nr.: +41 44 244 51 00

Informational: info@avantama.com

1.4 Emergency telephone number:

Schweizerisches Toxikologisches Informationszentrum (STIZ), Switzerland
Tel.-Nr.: +41 (0)44 251 5151

2 Hazards identification

2.1 Classification of the substance or mixture

For the full text of the H-statements and P-phrases mentioned in this section, see Section 16

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 3)	H226
Acute toxicity Oral (Category 4)	H302
Skin irritation (Category 2)	H315
Serious eye irritation (Category 1)	H319

Classification systems:

The classification corresponds to the current EC-Lists and is complemented with literature and the company knowledge.

2.2 Label elements

Labeling according to Regulation (EC) Nr. 1272/2008

The product is classified and labeled according to the CLP regulation.

Pictogram



Signal word: Danger

Trade name: Avantama N-31-Inkjet
Hazard statement(s)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful if in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statement(s)

P210	Keep away from heat/ sparks/ open flames/ hot surfaces. – No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves protective clothing eye protection face protection
P301+P312+P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305+P351+P338 +P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Supplemental Hazard

The applied nanoparticles may be enriched in human body and/ or in organisms.

3 Composition / information on ingredients

Chemical characterization: Mixtures

Description: Mixture made of following ingredients including non-hazardous admixtures.

Hazardous ingredients:		
CAS: 111-27-3 EC: 203-852-3	1-Hexanol Flam. Liq. 3; Acute Tox. 4; Eye Irrit. 2; H226, H302, H312, H319	< 98%
CAS: 18282-10-5 EC: 242-159-0	Tin(IV) oxide -	< 4%

Additional indication:

Comprised tin(IV) oxide is present as nanoparticles.

For the full text of the H-statements and P-phrases mentioned in this section, see Section 16

4 First aid measures
4.1 Description of first aid measures

If inhaled:	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact:	Wash off with soap and plenty of water.
In case of eye contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

4.3 Indication of any immediate medical attention and special treatment needed.

No data available.

Trade name: Avantama N-31-Inkjet

5 Firefighting measures

5.1 Extinguishing media

Unsuitable media:

Water jet

Suitable media:

CO₂, alcohol-resistant foam, dry chemical

5.2 Special hazards arising from the substance or mixtures

Tin oxide, Carbon oxide

5.3 Advice for firefighters

Specific protective equipment: Wear self-contained breathing apparatus for firefighting if necessary.

Further information: Use water spray to cool unopened containers. Prevent fire-extinguishing water from contaminating surface water or the ground water system.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal with liquid binding material (chemical binders, sand, diatomite, acid binders, universal binders, sawdust). Then collect by wet-brushing and place in container for disposal according to local regulations. Provide adequate ventilation.

6.4 Reference to other sections

For handling see section 7

For disposal see section 13

7 Handling and storage

7.1 Handling

Precaution for safe handling

Ensure adequate ventilation. Use personal protective equipment. Avoid breathing vapors, mist or gas. Avoid contact with skin and eyes. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Usual measures of the preventing fire protection.

Avoid formation of aerosols, do not inhale.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Store in cool in place. Keep container tightly closed in a dry and well-ventilated place. Containers, which are opened, must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

Trade name: Avantama N-31-Inkjet

8 Exposure controls/personal protections

Additional indication for technical installation: No data available, see section 7.

8.1 Control parameters

Components requiring monitoring of workplace exposure limit values:	
Tin (IV) Oxide	
MAK (Switzerland, (max. workplace concentration))	-
1-Hexanol	
MAK (Switzerland, (max. workplace concentration))	-

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the day. Keep away from food, beverage and feeding stuff. Take off contaminated clothing immediately.

Eye/face protection



Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards.

Respiratory protection

For mist /aerosol exposures use respiratory protection. Recommended filter type: ABEK P3

Skin protection



Handle with gloves. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Glove material

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Recommended material: Nitrile rubber

Full contact:

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Splash contact:

Minimum layer thickness: 0.4 mm

Break through time: 60min

Body protection

Type of protective equipment according to risk evaluation.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Trade name: Avantama N-31-Inkjet

9 Physical und chemical properties

9.1 Information on basic physical and chemical properties	
General properties	
Appearance:	
Form:	Liquid
Color:	Translucent, brownish
Odor:	Alcohol-like
Odor threshold:	No data available
pH:	No data available
Phase transition	
Melting point/melting range:	No data available
Initial boiling point/boiling range:	No data available
Flash point:	60 °C - closed cup - ASTM D 93
Flammability (solid, gas):	No data available
Ignition temperature:	No data available
Decomposition temperature:	No data available
Auto-ignition temperature:	No data available
Explosive properties:	No data available
Explosion limit:	
Lower:	1.2% (V)
Upper:	7.7% (V)
Oxidizing properties	No data available
Vapor pressure at 20°C:	No data available
Density at 20°C	No data available
Relative density	No data available
Vapor density	No data available
Evaporation rate	No data available
Solubility in / Miscibility with Water:	Miscible but not stable
Partition coefficient:	No data available
Viscosity:	
Dynamic:	4-6 mPa*s at 23°C
Kinematic:	No data available
Solvent content:	
Organic solvents:	96-100%
VOC (EU):	96-100%
VOCV (CH):	96-100%
Solid load:	<4%
9.2 Additional safety information:	Primary particle size (dried appearance): 5-50 nm Particle size (agglomerate size) in Dispersion: <100 nm Zeta-Potential of nanoparticles is unknown. Nanoparticle solubility: poorly soluble (0.1 g/L) Nanoparticles are functionalized.

Trade name: Avantama N-31-Inkjet

10 Stability and Reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Thermic decomposition / conditions to avoid:

No decomposition under recommended application.

10.4 Possibility of hazardous reactions

No data available.

10.5 Conditions to avoid

Heat, flames and sparks. Extreme temperatures and direct sunlight

10.6 Incompatible materials

Strong bases, strong oxidizing agents, strong acids, halogenated compounds.

10.7 Hazardous decomposition products

Other decomposition products – no data available.

In the event of fire: See section 5

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Classification-relevant LD/LC50 values:		
Tin(IV) oxide		
Oral	LD50	> 20000 mg/kg (rat)
1-Hexanol		
Oral	LD50	> 200 - 2.000 mg/kg (rat)
Dermal	LD50	> 1.000 - 2.000 mg/kg (rabbit)

Primary corrosion/irritation:

Respiratory:	May be harmful, may cause irritation of respiratory system by inhalation of aerosol or dust.
Skin (rabbit):	Skin irritation – 4h
Eye (rabbit):	Eye irritation – 4h
Sensitizations:	No data available
Carcinogenicity:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity:	Specific target organ toxicity: Acute oral toxicity - Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis. Acute inhalation toxicity - Possible damages:, mucosal irritations, Cough.

Additional toxicological information:

RTECS: MQ4025000: 1-Hexanol

Dermatitis, Nausea, Dizziness, Headache, narcosis.

Systemic effects - after absorption of large quantities:

Nausea, Vomiting, Diarrhoea, Headache, narcosis. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Trade name: Avantama N-31-Inkjet

RTECS: XQ4000000: Tin (IV) oxide

Inorganic tin salts are poorly absorbed into the body. When parenterally administered tin salts are highly toxic. Tin oxide inhaled as a dust or fume leads to a benign pneumoconiosis with no sign of interference with pulmonary function. Deposited dust appears nodular with the particles being mostly extracellular. No necrosis, foreign-body giant-cell reaction, or collagen formation has been seen. Tin salts that have gained access to the blood stream are highly toxic and produce neurologic damage and paralysis. With most common tin salts, the toxicity profile is complicated by hydrolysis in body fluids producing unphysiologic pH values. The reported symptoms of hyperemia, vascular changes with bleeding in the central nervous system, liver, heart, and other organs may be due to tin itself or to the unphysiological pH changes. Ingestion produces vomiting due to the gastric irritation from the activity and astringency of tin compounds. Injection of inorganic tin salts produces diarrhea, muscle paralysis, and twitching.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12 Ecological information

12.1 Toxicity

Aquatic Toxicity:

Toxicity to fish: flow-through test LC50 - *Pimephales promelas* (fathead minnow) – 97 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 - *Tetrahymen pyriformis* - 300 mg/l - 48 h

EC50 - *Daphnia magna* (Water flea) - 201 mg/l - 24 h

Toxicity to algae: static test EC50 - *Pseudokirchneriella subcapitata* (green algae) - 79,7 mg/l - 72 h

Toxicity to bacteria: EC10 - *Pseudomonas putida* - 3.000 mg/l - 30 min (DIN 38412)

12.2 Persistence and degradability

Biodegradability: aerobic - Exposure time 30d

Result: 61,8 % - Readily biodegradable (OECD Test Guideline 301D)

Ratio BOD/ThBOD 28 %

12.3 Behavior in environmental compartments:

Bioaccumulation *Oncorhynchus mykiss* (rainbow trout) - 24 h - 921 mg/l

Bioconcentration factor (BCF): 0,38

12.4 Additional ecological indication:

General indication: Do not let product enter drains, surface water or the ground water system. Discharge into the environment must be avoided.

12.5 Results of PBT- and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Harmful to aquatic life.

13 Disposal considerations

13.1 Waste treatment methods

Recommendation: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting, as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations.

13.2 Contaminated packaging

Recommendation: Dispose of as unused product

Recommended detergent: Ethanol

Trade name: Avantama N-31-Inkjet

14 Transport information

Land transport ADR/RID and GGVSEB (cross-border/interior):



ADR/RID-GGVSEB class:	3 flammable liquid
UN number:	2282
Packing group:	III
Hazard label:	3
UN proper shipping name:	Hexanols
Tunnel restriction code	D/E
Transport hazard class(es)	3

Sea shipment IMDG/GGVSee



IMDG/GGVSee class:	3 flammable liquid
UN number:	2282
Hazard label:	3
Packing group:	III
EMS code:	F-E, S-D
Marine pollutant:	No
UN proper shipping name:	Hexanols

Air transport ICAO-TI und IATA-DGR



ICAO/IATA class:	3
UN/ID number:	2282
Hazard label:	3
Packing group:	III
UN proper shipping name:	Hexanols

15 Regulatory information

Chemical Safety Assessment: For this product a chemical safety assessment was not carried out.

Trade name: Avantama N-31-Inkjet

16 Other information

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Avantama Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

This safety data sheet contains nano-specific information.

16.1 H-statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful if in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.

16.2 Precautionary statement(s)

P210	Keep away from heat/ sparks/ open flames/ hot surfaces. – No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves protective clothing eye protection face protection
P301+P312+P330	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305+P351+P338 +P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Supplemental Hazard

The applied nanoparticles may be enriched in human body and/or in organisms.